

Index

‘Note: Page numbers followed by “f” indicate figures and “t” indicates tables.’

A

Accelerated Thermal Oxidative
Depolymerization, 348
Acid hydrolysis, 345
Additives, 4, 23, 40–41, 57, 81,
296–297, 318, 403
Adhesives, 83
Aesthetics, 43–44
Agglomeration
CA793191 A, 294
DE1454873 A1, 294
DE1454875 A1, 294
DE2614730 A1, 292
DE1454877 B1, 294, 295f
US3510067 A, 292–294, 293f
Air pillows, 114
Air separators, 166–170
Alcoholysis, 346–347
Aliphatic polyesters, 71–73
polyhydroxyalkanoates (PHAs), 72–73
poly(hydroxy acid)s, 71–72
Aliphatic polymers, 25
Alkaline hydrolysis, 345
Aminolysis/ammoniolysis, 346
AMP Cortex Robotic Sorter, 176
Anhydride-modified polyethylene
(AMP), 101
Aromatic polyesters, 70–71
poly(ethylene furanoate), 70–71
poly(ethylene terephthalate), 70
semi-aromatic polyesters, 71
Association of Plastic Recyclers (APR), 9
Awareness raising, 384–387

B

Bag-in-bag system, 142
Bales, 199–202
Ballistic screens, 170–171
Barrier
films, 75, 99, 125–126, 406

properties, 5, 57, 61, 64, 70, 80, 98, 121
Biaxially oriented polyamide film
(BOPA), 152–153
Biaxially oriented polypropylene
(BOPP), 103–104
Biobased nonbiodegradable polymers,
408–409
Bio-based polymers, 3
BioCellection, 348
Biodegradable plastic packaging, 22, 28
Biodegradable plastics, 22
Biodegradable polymers, 3, 29–30, 409
Biodegradation, 27–32
Biofouling, 30–32
Bioplastics, 22, 408
commercial products, 409–416
Birds, 36
Blending
compatibilization, 311–316
Henkel’s Megaperls washing powder,
311f
polypropylene/LLDPE chip bags, 311
quadro seal bag, 311f
solid-state shear pulverization (SSSP),
310, 316–318
Blisters, 125, 212
Blown extrusion, 108
Blown stretch film, 108
BRPI0402112 A, 218
BRPI0804756 A2, 324–325, 325f
Bubble wrap, 109

C

Cast extrusion, 108
Cast polypropylene (CPP), 64–65
Cast stretch film, 108
Catalytic depolymerization, 348–350,
349f–350f
CEFLEX project, 398, 421f
Cellulose and its Derivatives, 78

- Centerfold shrink wrap, 107
- CH557763 A, 194
- ChemCycling technology, 351, 408
- Chemical depolymerization, 343
- Chemical pyrolysis, 350–352
- Chemical recycling, 362–368
 - chemical pyrolysis, 350–352
 - enzymatic depolymerization, 352
 - principle, 343
 - recovery options, 353–359
 - solvolysis, 344–350
 - types, 343–344
- China, 376–377
- Chitin/chitosan, 79–80
- Chloropolymers
 - poly(vinyl chloride) (plasticized), 67–68
 - poly(vinylidene chloride) (PVDC), 68–69
- Circular economy (CE), 380–383, 381f
- Cleaning
 - dry cleaning, 276–278
 - wet cleaning, 265–276
- Cleaning products, 123–125
- Cleaning solutions
 - CreaSolv Process, 246
 - DE102016015197 A1, 249–250
 - DE102016015198 A1, 247
 - DE102016015199 A1, 247–249
 - EP0521418 A1, 231
 - EP0543302 A1, 242
 - EP0644230 A1, 243
 - EP0849312 A1, 243
 - EP3305839 A1, 244–245
 - KR100361735 B1, 244
 - Polyethylene films, 242
 - US4031039 A, 234–236
 - US5286424 A, 234
 - WO0077082 A1, 238–242
 - WO02100932 A1, 243–244
 - WO9103515 A1, 237–242
 - WO2011082802 A1, 237
 - WO2013144400 A1, 232–233
 - WO2016077904 A1, 250–251
 - WO2016209094 A, 246–247
 - WO2018109147 A2, 243
- CleanRobotics, 145–146
- Cling film, 105–106
- CN101722639 A, 320
- CN101857691 A, 320
- CN101954677 A, 276–277
- CN102909210 A, 323–324
- CN103240809 A, 269
- CN103240811 A, 286–287, 286f
- CN104070617 A, 152–153
- CN104669467 A, 219
- CN104744724 A, 219
- CN106426638 A, 273
- CN106738455 A, 271–273, 272f
- CN106832393 A, 230–231
- CN106994756 A, 307
- CN107599234 A, 229–230
- CN201776854 U, 276–277
- CN203156973 U, 152–153
- Coated/printed films, 121–122
- Coatings, 83–86
- Coextruded films, 98–101
- Collection, 139
- Combined degradation processes, 32–33
- Compacted waste
 - softening/melting outer surface of, 194–199
- Compacting, 192–193
- Compatibilization, 311–316
- Compatibilizers, 312
 - commercial compatibilizers, 312, 313t
 - DE938552 A1, 316
 - DE4223864 A1, 312–314
 - drawback, 312
 - EP3040199 A1, 314
 - JP2006298960 A, 314
 - JP2008000908 A, 315
 - KR20050005631 A, 314–315
 - KR100733941 B1, 314–315
 - WO2015177580 A2, 315–316
- Compounding, 318
 - CN101722639 A, 320
 - CN101857691 A, 320
 - FR2870477 A1, 318
 - US2015240041 A1, 319–320
- Construction and building, 127–129
- Continuous mechanochemical
 - compatibilization (CMC), 317–318, 317f
- Conventional polymers, 27
- Conventional SUPs, 110

Conversion technologies, 400–401
Cosmetics packaging, 127
“Cradle-to-cradle” recycling, 7–8
CreaSolv Process, 245–246, 407
Cryogenic systems, 291
Curbside collection, 141–146
Curbside film, 396
Customized solvent formulations, 407

D

Dark-colored plastic debris, 24
DE102008056311 A1, 297, 298f
DE102016015197 A1, 249–250
DE102016015198 A1, 247
DE102016015199 A1, 247–249
DE938552 A1, 316
DE1454873 A1, 294
DE1454875 A1, 294
DE2261678 A1, 194
DE2614730 A1, 292
DE2900666 A1, 299
DE4140577 A1, 193
DE4215573 A1, 211–212
DE4223864 A1, 312–314
DE4437881 A1, 356
DE1454877 B1, 294, 295f
Density/gravity techniques, 295
 float-sink, 295–297
 hydrocyclones, 297–301
DE20308945 U1, 284–286, 285f
DE29803922 U1, 284, 284f
Digital watermark on packaging, 406
Directives
 94/62/EC, 369, 371–372
 2004/12/EC, 370t
 2005/20/EC, 370t
 2008/98/EC, 369, 370t
 2015/720/EU, 370t, 371–372
 2018/852/EU, 343, 370t
 2019/904/EU, 370t
“Dirty MRF”, 163
Diverse marine habitats, 23
Dry cleaning
 advantage, 276
 CN101954677 A, 276–277
 CN201776854 U, 276–277
 disadvantages, 277–278

 waste plastic film, 276–277, 277f
 water-free cleaning apparatus,
 276–277, 277f

Drying

 dewatering screw press, 275–276
 horizontal screw press, 276
 screw shaft, 275–276

DuPont, 400

E

“Eastern Garbage Patch”, 35
E-commerce, 129–130
 flexible plastic packaging, 130
Economic evaluations of recycling,
 395–396
Eddy current separator (ESC), 191–192
Effect of additives and inks, 403
Ellen MacArthur Foundation, 405
Envelopes, 114
Environmental degradation, 24–25
 modes, 22–23
Environmental effects at sea, 34–35
 entanglement, 35–36
 ingestion, 36–39
 loss of biodiversity and habitat,
 39–40
 rafting, 39
 toxicity, 40–41
Environmental effects in land, 34
Enzymatic depolymerization, 352
EP0397280 A1, 195–196
EP0521418 A1, 231
EP0538730 A, 213–214
EP0543302 A1, 242
EP0553793 A2, 299
EP0602658 A1, 214–215
EP0644230 A1, 243
EP0679487 A1, 151
EP0791396 A2, 299–300, 300f
EP0849312 A1, 243
EP1829621 A1, 190
EP2407528 A, 349–350
EP3040199 A1, 314
EP3059061 A1, 114, 287, 288f
EP3168169 A1, 111
EP3305839 A1, 244–245
Ethylene-vinyl acetate (EVA), 61–62

Ethylene-vinyl alcohol copolymer (EVOH), 62–63
 EU legislation on packaging and packaging waste, 372, 373t
 EU Packaging Waste Legislation, 369–372
 EU Regulations on Plastic, 372–376, 375t
 European Food Safety Authority (EFSA), 374–376
 European Parliament, 370t, 417
 Extended Producers Responsibility (EPR), 378, 383–384
 Extrusion, 301–302
 Intarema TVEplus system, 303, 303f
 US2007120283 A1, 304
 US2008233413 A1, 304
 WO2007076165 A2, 304
 WO2010118447 A1, 302
 WO2014162238 A, 304–305

F

Feedback of scrap film, 146–157
 FFRG, 421–422
 FIACE, 420–421
 Fishes, 38–39
 Flexible multilayer packaging films, 267
 Flexible multilayer plastic packaging, 6–7
 Flexible packaging
 benefits of flexible plastic packaging, 3
 categories, 1–2
 definition of, 1
 limitations of, 5–7
 versus rigid packaging, 4–5
 selection criteria of, 2–3
 Flexible Packaging Association (FPA), 4, 34
 Flexible packaging films, 6
 Flexible plastic packaging, 21–22, 129
 vs. rigid packaging, 4f, 8
 Flexible pouches, 110–111
 Flexography, 121–122
 Float-sink separation technique
 DE102008056311 A1, 297, 298f
 polymers and aluminum, 295–296, 296t

Fluorescent light, 187–189
 Food and beverage, 123, 124t
 Food packaging, 2–3
 Food waste
 reduction of, 399
 Fossil fuel-derived plastics, 28
 Fouled plastic debris, 31
 Fourier transform infrared spectroscopy (FTIR), 32
 FR2294037 A1, 194–195
 FR2870477 A1, 318
 Friction washer
 B+B's friction washer, 273–274
 Neue Herbold friction washers, 274–275, 274f
 Full PE Laminate, 401–402

G

Garnier, 127
 Gasification, 359
 GB2350083 A, 322, 322f
 GB2525858 A, 219–220
 Glycolysis, 347–348
 Grabbers, 171–180
 Granulators, 287–288
 cryogenic systems, 291
 PL414258 A1, 290
 pros and cons, 291
 RU2116196 C1, 289–290, 290f
 wet granulator chamber, 289
 “Great Pacific Ocean Garbage Patch”, 35
 Green Dot, 182–183
 ‘Green Fence Operation’, 376–377
 Greenhouse gases (GHG), 3, 21

H

Hair care packaging, 127
 Hand stretch film, 108
 Hansen parameter, 244–245, 407
 “Heavy” films, 176
 Hefty EnergyBag program, 141, 422–423
 Herbold Meckesheim GmbH, 300–301
 High-density polyethylene (HDPE), 61, 99, 397
 Human health, 44
 Hydraulic compactors, 192–193

Hydrocyclones, 297
 DE2900666 A1, 299
 and dryer, 300–301, 301f
 EP0553793 A2, 299
 EP0791396 A2, 299–300, 300f
 Herbold Meckesheim GmbH, 300–301

Hydrolysis, 24

 acid, 345
 alkaline, 345
 neutral, 345

Hydrolytic degradation, 23–24

I

Impact Air Systems, 193
Impact Film Screw, 165–166
Incineration, 353–355, 354f–355f
India, 377–378
Initiatives, 423–425
Inks, 86
Intarema TVEplus system, 303, 303f
Integrated systems
 CN106994756 A, 307
 Repro-Flex plastic recycling apparatus,
 308–310
 Sorema's film recycling process,
 307–308, 310f
 US2012199675 A1, 305
 US2013119171 A1, 306–307
 US2013119575 A1, 306–307
 US2013186573 A, 305
 US2014048631 A, 305, 306f
Ionomers, 86

J

JP2003320264 A, 267–268
JP2005058845 A, 268
JP2006118777 A, 353–355
JP2006298960 A, 314
JP2008000908 A, 315
JP2008213395 A, 323
JP2009120766 A, 347–348
JP2017222425 A, 324

K

KR20050005631 A, 314–315
KR20060000247 A, 219

KR100361735 B1, 244
KR100733941 B1, 314–315

L

Labels, 115–120
Laminates, 102
Legislative initiatives and policy
 recommendations, 419–420
Life cycle analysis (LCA), 12–17
Light-initiated oxidative degradation, 24
Linear low-density polyethylene
 (LLDPE), 59–60, 99
Low-density polyethylene (LDPE),
 58–59

M

Machine stretch film, 109
Mammals, 36–37
Marine, 21–23, 26, 28, 34–35, 37, 40,
 120, 385
Marker systems, 182–183
Markets
 of flexible plastic packaging, 395
 of recycled flexible plastic packaging,
 396–397
Material recovery facilities (MRFs), 6,
 405–406
Materials Recovery for the Future
 (MRFF), 422–423
Mechanical degradation, 32
Medical/personal care/cosmetics,
 125–127
Medium-density polyethylene (MDPE),
 61
Metalized and metal foil containing
 films, 103–104
Metalized films, 2–3
Metalized poly(ethylene terephthalate),
 104
Metalized polypropylene, 103–104
Metallized cast polypropylene film (CPP
 film), 104
Microbial biofilms, 31
Million metric tons (MMT), 21
Mixed film, 396
Monolayer plastic film, 147
Monolayers, 97–98

Monomaterials, 400–402

More Recycling, 396

Multilayers

adhesives, 102

coextruded films, 98–101, 100t

laminates, 102

N

National Audit Office (NAO) asserts, 379

“National Sword” program, 376–377

Near Infrared (IR), 185, 403

Net bags, 120–121

Neue Herbold friction washers,
274–275, 274f

Neutral hydrolysis, 345

Newcycling technology, 99, 407

New Plastics Economy Global
Commitment, 423–425

New recycling technologies, 406

chemical recycling, 408

compatibilizers, 406

solvent separation, 407

Next Generation Recyclingmaschinen,
156

North American Plastics Recycling
Alliance (NAPRA), 423

NOTPLA, 410t

Number of layers, 400

Nylon-MXD6, 76

O

Oceans, 21–22, 28, 34, 39

Ooho pouches, 415–416

Optical sorters, 185–189

Optimum flexible packaging, 2

Oriented polypropylene (OPP), 65–67

P

Packaging Recovery Note (PRN)
scheme, 379

Pallet shrink wrap bags, 107

Partial oxidation, 359

Persistent organic pollutants (POPs), 32,
40–41

Pharmaceuticals, 1, 62, 125, 221–223

Photodegradation, 24–27

Photooxidative degradation of plastic
debris, 25

Photooxidative processes, 26–27

Pigmented plastics, 26–27

PL406201 A1, 287

PL414258 A1, 290

Plastic bags, 105

Plastic-blown film extrusion processes,
153–155

Plastic debris, 23, 26, 33, 40–41
particles, 32

Plasticized PVC (PVC-P), 67–68

Plastics Recyclers Europe, 404–405

Plastic waste, 196

Plastic Waste Management Rules,
377–378

Plastic wrap, 105–109

Poly(3-hydroxybutyrate) (PHB), 28

Poly(3-hydroxybutyrate-co-3-valerate)
(PHBV), 28

Poly(3-hydroxybutyrate-co-4-
hydroxybutyrate) (P3HB4HB),
28

Poly(ethylene furanoate) (PEF), 70–71

Poly(ethylene terephthalate) (PET), 24,
70, 374–376

recycling industry, 7

Poly(vinyl alcohol) (PVOH), 69–70

Poly(vinyl chloride) (PVC), 25–26,
67–68

Poly(vinylidene chloride) (PVDC),
68–69

Polyamide 6, 74–75

Polyamide 66, 75–76

Polyamides, 73, 344

Nylon-MXD6, 76

polyamide 6, 74–75

polyamide 66, 75–76

Polyesters, 344

aliphatic polyesters, 71–73

polyhydroxyalkanoates (PHAs),
72–73

poly(hydroxy acid)s, 71–72

aromatic polyesters, 70–71

poly(ethylene furanoate), 70–71

poly(ethylene terephthalate), 70

semi-aromatic polyesters, 71

Polyethylene clear film, 146

- Polyethylene color film, 146
- Polyethylene films, 242
- Polyethylene food bags, 31
- Polyethylene marine debris, 33
- Polyethylenes, 2–3
 - biodegradation of, 27
 - ethylene-vinyl acetate (EVA), 61–62
 - ethylene-vinyl alcohol copolymer (EVOH), 62–63
 - high-density polyethylene (HDPE), 61
 - linear low-density polyethylene (LLDPE), 59–60
 - low-density polyethylene (LDPE), 58–59
 - medium-density polyethylene (MDPE), 61
 - very low-density polyethylene (VLDPE), 60–61
- Polyhydroxyalkanoates (PHAs), 72–73
- Polymers
 - blends of, 80–81
 - types of, 57
 - used as adhesives and tie layers, 83
 - used as coatings/sealants, 83–86
 - used as inks, 86
- Polyolefins, 23–24, 57–58
 - chloropolymers
 - poly(vinyl chloride) (plasticized), 67–68
 - poly(vinylidene chloride) (PVDC), 68–69
 - poly(vinyl alcohol) (PVOH), 69–70
 - polyamides, 73
 - Nylon-MXD6, 76
 - polyamide 6, 74–75
 - polyamide 66, 75–76
 - polyesters
 - aliphatic polyesters, 71–73
 - aromatic polyesters, 70–71
 - polyethylenes
 - ethylene-vinyl acetate (EVA), 61–62
 - ethylene-vinyl alcohol copolymer (EVOH), 62–63
 - high-density polyethylene (HDPE), 61
 - linear low-density polyethylene (LLDPE), 59–60
 - low-density polyethylene (LDPE), 58–59
 - medium-density polyethylene (MDPE), 61
 - very low-density polyethylene (VLDPE), 60–61
 - polypropylene, 63–64
 - cast polypropylene (CPP), 64–65
 - oriented polypropylene (OPP), 65–67
 - polysaccharides, 76–78
 - cellulose and Its derivatives, 78
 - chitin/chitosan, 79–80
 - starch, 79
 - polystyrene, 67
- Polypropylene, 26, 63–64
 - cast polypropylene (CPP), 64–65
 - oriented polypropylene (OPP), 65–67
- Polypropylene strapping, 120
- Poly(hydroxy acids), 71–72
- Polysaccharides, 76–78
 - cellulose and Its derivatives, 78
 - chitin/chitosan, 79–80
 - starch, 79
- Polystyrene, 67
- Postcommercial clear film, 396
- Postcommercial flexible plastic packaging, 146
- Postcommercial mixed color film, 396
- Postconsumer flexible plastic packaging, 140–146
- Postconsumer packaging film waste, 404
- Postindustrial flexible plastic packaging, 146–157
- Post-processing, 265–266
 - agglomeration, 291–294
 - blending, 310–318
 - cleaning, 265–278
 - compounding, 318–321
 - density/gravity techniques, 294–301
 - extrusion, 301–305
 - integrated systems, 305–310
 - size reduction, 278–291
- Pouches, 109–114
 - flat pouches, 121–122, 126–127
 - stand-up pouches (SUPs), 105, 395
- Prestretched film, 109
- Primary packaging, 396
- Projects, 420–423

PureCycle Technologies, 407

Pyrolysis

DE4437881 A1, 356

WO2005061098 A1, 358–359, 358f

WO2017173006 A2, 357

Q

Quadro seal bag, 125, 311f

R

Reclay StewardEdge, 397

Recovery options

gasification, 359

incineration, 353–355, 354f–355f

pyrolysis, 356–359

waste-to-energy, 355

Recycled packaging, 416–418

Recycled products, 321–322

BRPI0804756 A2, 324–325, 325f

CN102909210 A, 323–324

GB2350083 A, 322, 322f

JP2008213395 A, 323

JP2017222425 A, 324

US2007120283 A1, 323

US2008233413 A1, 323

US2016244598 A1, 324

WO2007076165 A2, 323

WO2010066398 A1, 323

WO2014039479 A1, 324

Recycling, 7–12

types of, 10–12

Redesign, 398–403

Reduction of food waste, 399

REFLEX project, 420

Regulation (EU) No 2019/37, 374

Regulatory frameworks, 379–384

REMADE project, 423

Removable parts, 403

Repro-Flex plastic recycling apparatus,
308–310

Resin identification codes (RIC),
180–182, 183t

Return collection centers, 143–144

Reuse, 321–325

commercial uses, 325–326

recycled products, 321–325

Reused packaging, 418–419

Rigid packaging

flexible plastic packaging vs., 4f, 8

Robotic sorters, 189–191

RU2116196 C1, 289–290, 290f

S

Sachets, 109–114

Scanning electron microscopy (SEM),
31–32

Screens, 170–171

Sealants, 83–86

Sea turtles, 36

Secondary packaging, 396

Selective dissolution, 234–251

Semi-aromatic polyesters, 71

Separation/sorting, 163

air separators, 166–170

Eddy current separator (ESC), 191–192

grabbers, 171–180

manual and vacuum-assisted manual
sorting, 164–166

marking and labeling systems, 180–185

optical sorters, 185–189

robotic sorters, 189–191

screens, 170–171

Shredders

CN103240811 A, 286–287, 286f

commercial shredders, 287

DE20308945 U1, 284–286, 285f

DE29803922 U1, 284, 284f

dual-shaft shredder, 278–279

EP3059061 A1, 287, 288f

PL406201 A1, 287

postconsumer film waste, 279

pros and cons, 280

rotating parallel shafts, 279

stretch wrap film, 279

US3545686 A, 280, 281f

US4738404 A, 280–281

US5257740 A, 280–281

US5285973 A, 281–284, 283f

WO9407671 A1, 280–281, 282f

Shrink bags, 107

Shrink banding, 107

Shrink sleeves, 107

Shrink tubing, 107

Shrink wraps, 106–107

- Single-use plastic sachets, 110–111
 - Size reduction
 - granulators, 287–291
 - shredders, 278–287
 - tasks, 278
 - Skin care packaging, 127
 - Sleeves, 115–120
 - Socioeconomic effects, 41–42
 - aesthetics, 43–44
 - human health, 44
 - tourism, 42–43
 - Softening/melting outer surface of
 - compacted waste, 194–199
 - Solid-state shear pulverization (SSSP), 310
 - continuous mechanochemical compatibilization (CMC), 317–318, 317f
 - WO0211963 A2, 316–317, 317f
 - Zzyzx technology, 317–318
 - Solvolysis
 - alcoholysis, 346–347
 - aminolysis/ammoniolysis, 346
 - catalytic depolymerization, 348–350, 349f–350f
 - glycolysis, 347–348
 - hydrolysis, 344–346
 - Sorema film recycling process, 267, 307–308, 310f
 - Sources of flexible plastic packaging, 139
 - curbside collection, 141–146
 - postcommercial flexible plastic packaging, 146
 - postconsumer flexible plastic packaging, 140–146
 - postindustrial flexible plastic packaging, 146–157
 - return collection centers, 143–144
 - Southeast Asia, 378
 - Starch, 79
 - Straps/tapes/six-pack rings, 120
 - Stretch films, 127
 - Stretch wrap film, 109
 - Stretch wraps, 107–109
 - Stripping, 211–231
 - BRPI0402112 A, 218
 - CN104669467 A, 219
 - CN104744724 A, 219
 - CN106832393 A, 230–231
 - CN107599234 A, 229–230
 - DE4215573 A1, 211–212
 - EP0521418 A1, 231
 - EP0538730 A, 213–214
 - EP0602658 A1, 214–215
 - GB2525858 A, 219–220
 - KR20060000247 A, 219
 - US5246116 A, 212–213
 - US2004129372 A1, 215–216
 - WO0250175 A2, 216–217
 - WO03104315 A1, 217–218
 - WO9304116 A1, 212
 - WO2004031274 A1, 216–217
 - WO2014162238 A, 218–219
 - WO2015159301 A2, 229
 - WO2017037260 A1, 221–229
 - WO2017108014 A1, 221
 - WO2018109147 A2, 220–221
 - Sustainable Materials Management (SMM), 380
 - Synthetic polyamides, 27
- T**
- TerraCycle, 127
 - Tertiary packaging, 396
 - Thermal decomposition, 356
 - Thermolysis. *See* Pyrolysis
 - Thermooxidative Degradation, 24
 - Thin-film products, 21–22
 - Tie
 - layers, 62, 83, 100
 - resins, 100–101
 - Tourism, 42–43
 - TrashBot, 145–146
 - Trends and proposals, 398–420
 - Turtles, 37–38
 - Twist wraps, 109
 - Typical tie layer resins, 101, 101t
- U**
- Ultraviolet (UV) radiation portion, 24–25
 - United Kingdom, 379
 - United States, 378–379
 - Universal recycling symbol, 184f
 - US3831340, 196–198

US2009148629, 201
 US3510067 A, 292–294, 293f
 US3545686 A, 280, 281f
 US3797702 A, 153
 US4014462 A, 153
 US4031039 A, 234–236
 US4340347 A, 153
 US4738404 A, 148, 280–281
 US5170949 A, 148–149
 US5246116 A, 212–213
 US5257740 A, 280–281
 US5263841 A, 196
 US5285973 A, 281–284
 US5286424 A, 234
 US5452492 A, 192–193
 US2004129372 A1, 215–216
 US2007020410 A, 201
 US2007120283 A1, 304, 323
 US2007208455 A1, 190
 US2008233413 A1, 304, 323
 US2012160282 A1, 268–269
 US2012199675 A1, 305
 US2012258189 A1, 155
 US2013119575 A1, 306–307
 US2013186573 A, 305
 US2014048631 A, 305, 306f–307f
 US2015240041 A1, 319–320
 US2016244598 A1, 324
 US2017213484 A1, 119–120
 US2018009587 A1, 113–114
 US6723873 B1, 346
 US Environmental Protection Agency
 (EPA), 9f

V

Very low-density polyethylene (VLDPE),
 60–61
 Volume reduction
 bales, 199–202
 compacting, 192–193
 softening/melting outer surface of
 compacted waste, 194–199

W

Waste-to-energy, 355
 Wet cleaning
 CN103240809 A, 269

CN106426638 A, 273
 CN106738455 A, 271–273, 272f
 disadvantages, 266–267
 drying, 275–276
 flexible multilayer packaging films, 267
 friction washer, 273–275
 JP2003320264 A, 267–268
 JP2005058845 A, 268
 plastic film recovery and cleaning
 apparatus, 269, 272f
 plastic film recycling and cleaning
 apparatus, 271–273, 272f
 Sorema film recycling process, 267
 steps and equipment, 265–266
 tasks, 265
 US2012160282 A1, 268–269
 washing apparatus, 269, 270f–271f
 water quality and energy consumption,
 267
 White plastics, 26
 WO9117886, 150–151
 WO0077082 A1, 238–242
 WO0211963 A2, 316–317, 317f
 WO0250175 A2, 216–217
 WO02100932 A1, 243–244
 WO03104315 A1, 217–218
 WO9103515 A1, 237–242
 WO9304116 A1, 212
 WO9407671 A1, 280–281, 282f
 WO9407688 A1, 192–193
 WO2004031274 A1, 216–217
 WO2005061098 A1, 358–359, 358f
 WO2007076165 A2, 304, 323
 WO2007148353 A1, 345–346
 WO2008003165 A1, 79
 WO2008135757 A1, 198–199
 WO2010066398 A1, 323
 WO2010118447 A1, 302
 WO2011082802 A1, 237
 WO2011140317 A1, 151–152
 WO2012035308 A2, 198–199
 WO2013144400 A1, 232–233
 WO2014039479 A1, 324
 WO2014162238 A, 218–219, 304–305
 WO2015026479 A1, 119–120
 WO2015159301 A2, 229
 WO2015173265 A1, 352
 WO2015177580 A2, 315–316

WO2016077904 A1, 250–251
WO2016209094 A, 246–247
WO2017037260 A1, 221–229
WO2017108014 A1, 221
WO2017173006 A2, 357
WO2018018153 A1, 351
WO2018109147 A2, 220–221, 243
WO2018187203 A1, 119–120

Woven bags/sacks, 120–121
Wrap Recycling Action Program
 (WRAP), 386, 417, 421–422,
 422f

Z

Zero Waste Bags, 140
Zzyzx technology, 317–318